

PROBLEM DEFINITION

GOAL

Design an Al-based decision system that accurately predicts the functional degradation of a naval propulsion unit compressor, given the hyper-complexity of the phenomenon (strongly nonlinear behavior) in order to rationally plan explainable maintenance operations.

PROS & **BENEFITS**

- Allow business experts and maintenance managers to understand the causal relationships between some turbine parameters and its future state of degradation.
- Find the truly influential parameters for assessing the state of degradation and thus reduce measurement and maintenance costs.
- Carry out turbine-specific maintenance actions to avoid critical damage, thanks to rapid and systematic diagnostics, while justifying each intervention.

REFERENCE DATA

Source: DITEN / DIBRIS Departments of the University of Genova,

Dua, D. and Graff, C. (2019). UCI Machine Learning Repository [http://archive.ics.uci.edu/ml]. Irvine, CA: University of California School of Information and Computer Science

Variable to Predict: The model predicts the Gas Turbine Compressor Decay State Coefficient Strength which is a continuous variable in the range [0.95; 1]. The lower it is, the higher the degradation (e.g., 0.97 means a compression degradation of 3 percentage points).

Potential Predictors: 14 parameters characterize the turbine: lever position, ship speed, gas turbine shaft torque, gas turbine rate of revolutions, gas generator rate of revolutions, starboard propeller torque, port propeller torque, high pressure turbine exit temperature, gas turbine compressor inlet air temperature, gas turbine compressor outlet air temperature, ...

Observations: 11,934 digital simulation points of a frigate gas turbine, each is associated with a value of decay state coefficient. Data is divided into:

- a Learning Dataset for model induction using Training and Validation Datasets: 10,143 cases | 85% (82% for Training, 18% for Validation), and
- an External Test Dataset to check the top model's performance on real data and for benchmarking: 1,791 cases | 15%

MODEL TYPE

Regression

Multinomial Classification

Binomial Classification

Scoring

XTRACTIS-INDUCED DECISION SYSTEM

- ☑ Intelligible Model, **Explainable Decisions**
- ▶ The top-model is a decision system composed of 428 gradual rules without chaining.
- ▶ Each rule uses from 1 to 10 predictors among the 12 variables that XTRACTIS identified as significant (out of the 14 turbine parameters).
- ▶ The model is relatively intelligible despite the large number of rules, given the high complexity of the studied phenomenon.
- ▶ Only a few rules are triggered at a time to compute the decision
- ☑ High Predictive Capacity
- It has an excellent Real Performance (on unknown data).
- Ready to Deploy

It computes real-time predictions up to 70,000 decisions/second, offline or online (API).

XTRACTIS PROCESS

STEPS



Reference

Data





Top-Model

Turbine parameters



State of the turbine



New Cases

DEDUCTION

Automated Decision (alert about the turbine degradation)

SOFTWARE ROBOTS

XTRACTIS® REVEAL

INDUCTION

Delivers the decision system + its Structure & Performance Reports

XTRACTIS® PREDICT

Delivers the decision + the Prediction Report explaining its reasoning

TOP-MODEL INDUCTION

INDUCTION PARAMETERS

1. We launch 700 inductive reasoning strategies; each strategy is applied to the same single partition of the learning dataset (70% Training / 30% Validation) to get a reliable assessment of the descriptive and predictive performances, respectively from Training and Validation Datasets.



- 2. Each strategy thus generates one unitary model called Individual Virtual Expert (IVE).
- 3. Among the 700 induced models, the top-IVE is the one that has the best predictive performance, close to its descriptive performance, and with the fewer predictors and rules.

Total number of induced unitary models 700 IVEs

optimization RMSE

Criterion for the induction

Validation criterion for the top-models selection

RMSE

Duration of the process (Induction Power FP64)

~17 Days (1 Tflops)


TOP-MODEL STRUCTURE

The top-model has a poor intelligibility as it has 428 rules aggregated into 36 disjunctive rules and combining the 12 predictors with 3.6 predictors per rule on average. But it remains intelligible as its Structure Report reveals all the internal logic of the decision system and ensures that the model is understandable by the human expert. It is a transparent model that can be audited and certified before deployment to end-users.

PREDICTORS


- 12 parameters out of 14
- Ranked by individual contribution (10 strong, 2 medium signals):
 #1 GT Compressor outlet air temperature
 #2 GT Compressor outlet air pressure...
- Labeled by fuzzy and binary classes
 Examples: binary interval "sup to 6,016";
 fuzzy interval "about [13.2; 14.0]"





RULES

- 428 connective fuzzy rules without chaining (aggregated into 36 disjunctive fuzzy rules)
- 1 to 10 predictors per rule (on average, 3.6 predictors per rule)
- Example: ² uses 6 predictors and concludes {0.988}. 427 other rules complete this model.



Literally, the Compressor is decaying by 1.2 percentage points if the Gas Turbine shaft torque is above 6,016 kN m, and its rate of revolutions is under approximately 1,369 rpm, and the Gas Generator rate of revolutions is below approximately 6,656 rpm, and the Gas Turbine Compressor outlet air temperature (T2) is between approximately 567.805°C to 570.087°C, and the Turbine Injection Control is between approximately 13.2% and 14.0%, and the Fuel flow (mf) is above about 0.30kg/s.

TOP-MODEL PERFORMANCE

The top-IVE performances, measured in Training / Validation, then in External Test on reference data, guarantee the model's predictive and real performances.

Performance
Dataset
RMSE
Correlation

DESCRIPTIVE 82% Training 3.7×10⁻⁴ 1.000

18% Validation 3.7×10⁻⁴ 1.000 REAL
External Test
5.2×10-4
0.999

EXPLAINED PREDICTIONS FOR 2 UNKNOWN CASES

Real

Time





CASE


(from the External Dataset i.e., not included in the Learning Dataset)

DEDUCTIVE INFERENCE OF RULES

AUTOMATED DECISION

TURBINE # 11866

actual value = 1.	.000
Lever position (lp)	4.16
Gas Turbine shaft torque (GTT) [kN m]	14,718
Gas Turbine rate of revolutions (GTn) [rpm]	1,547
Gas Generator rate of revolutions (GGn) [rpm]	7,716
Port Propeller Torque (Tp) [kN]	114
HP Turbine exit temperature (T48) [C]	623
GT Compressor outlet air temperature (T2) [C]	600.199
HP Turbine exit pressure (P48) [bar]	1.66
GT Compressor outlet air pressure (P2) [bar]	8.9
Gas Turbine exhaust gas pressure (Pexh) [bar]	1.0230
Turbine Injection Control (TIC) [%]	16.4
Fuel flow (mf) [kg/s]	0.33





The decision system delivers the correct prediction compared to the actual value.

VERY LOW DEGRADATION



TURBINE #6391

actual value = 0.	977
Lever position (lp)	1.14
Gas Turbine shaft torque (GTT) [kN m]	988
Gas Turbine rate of revolutions (GTn) [rpm]	1,366
Gas Generator rate of revolutions (GGn) [rpm]	6,651
Port Propeller Torque (Tp) [kN]	8
HP Turbine exit temperature (T48) [C]	469
GT Compressor outlet air temperature (T2) [C]	548.340
HP Turbine exit pressure (P48) [bar]	1.13
GT Compressor outlet air pressure (P2) [bar]	6.1
Gas Turbine exhaust gas pressure (Pexh) [bar]	1.0190
Turbine Injection Control (TIC) [%]	2.2
Fuel flow (mf) [kg/s]	0.09



#Rule	Conlusion	Firing degree
R18 →	0.950	0.137
R17 →	0.950	0.004
R122 →	0.964	0.072
R120 →	0.964	0.071
R141 →	0.966	0.344
R139 →	0.968	0.005
R156 →	0.969	0.005
R183 →	0.971	0.139
R218 →	0.975	0.361
R255 →	0.980	0.108
R317 →	0.986	0.486
R371 →	0.992	0.203
R372 →	0.992	4.14E-04
R426 →	1.000	0.005
PREDICTION=	0.976	



The decision system delivers the correct prediction compared to the actual value.

MEDIUM DEGRADATION






TOP-MODELS BENCHMARK: DECISION STRUCTURE & INTELLIGIBILITY × PERFORMANCE SCORES

	XTRACTIS 🙋	RANDOM FOREST	BOOSTED TREE	NEURAL NETWORK
MODELS RELEASE ALGORITHM VERSION CROSS-VALIDATION TECHNIQUE	2022/08	2021/08	2021/05	2022/05
ALGORITHM VERSION	XTRACTIS REVEAL 12.2.43064	Python 3.6 LightGBM 2.2.2	Python 3.6 LightGBM 2.2.2	Python 3.6 TensorFlow 2.6.0 Keras 2.6.0
CROSS-VALIDATION TECHNIQUE	All explored strategies fo	or all algorithms use the same single-split of the l	Learning Dataset: 70% Training 15% Validation 15%	5 Test
NUMBER OF EXPLORED STRATEGIES(1)	700 induction strategies	2,000 ML strategies	300 ML strategies	2,000 ML strategies
TOP-MODEL SELECTION(2)	Top-IVE among 700 IVEs	Top-IVE among 2,000 IVEs	Top-IVE among 300 IVEs	Top-IVE among 2,000 IVEs
NUMBER OF PREDICTORS	12	14	14	14
(out of 14 Potential Predictors)				
AVERAGE NUMBER OF PREDICTORS PER RULE / EQUATION	3.6 per rule	4.8 per rule	7.9 per rule	20.1 per equation
STRUCTURE OF THE DECISION SYSTEM	428 fuzzy rules without chaining (aggregated into 36 disjunctive fuzzy rules)	119 trees without chaining 61,800 binary rules	1 chain of 4,341 trees 366,487 binary rules	2 hidden layers 52 hidden nodes 53 equations
	Only a few rules are triggered at a time to compute a decision		Tree #N corrects the error of the N-1 previous trees	52 unintelligible synthetic variables

လ		Random ⁽³⁾	XTRACTIS	RFo	ВТ	NN
SCORES	INTELLIGIBILITY Score(4)		0.39	0.00	0.00	0.00
TOP-MODEL	IVE Real Perf. (RMSE (×10 ⁻⁴)) in External Test Gap to IVE Leader in External Test PERFORMANCE Score ⁽⁴⁾	200.0	0.75 0.00 0.00	2.00 -1.25 -1.25	1.07 -0.32 - 0.32	1.77 -1.02 -1.02



(1) For all algos: on the same Learning Dataset. All Models are optimized according to their Validation RMSE.
(2) All top-models are selected according to their Validation RMSE while checking that it remains close to their Training RMSE.

(3) Baseline performances that models must exceed to perform better than chance (P-value = 0.001; 100,000 models generated by random permutation of the output values). The value of each performance criterion is generally achieved by a different random model.

(4) See Appendices for explanations and detailed results. Performance Scores are calculated on all available unknown data.

More Use Cases: xtractis.ai/use-cases/

APPENDIX 1 — Calculation of the Intelligibility × Performance Scores

Al Technique #i	Ti	$i \in [1; n]$ n = number of Al Techniques benchmarked in terms of data-driven modeling = 5
Benchmark #k	B _k	$k \in [1; p]$ p = number of Benchmarks for the Use Case $\in \{1, 2, 3\}$

Remarks:

- In case of a small number of reference data, a CVE model (College of Virtual Experts) is generated by each explored strategy of T_i, generally via an N×K-fold cross validation. In this case, a Benchmark is led with the top-CVE on the External Test Dataset (ETD, composed of unknown reference cases). Then, a top-IVE model (Individual Virtual Expert) is generated from the top-CVE, through the XTRACTIS® reverse-engineering process, or for the other T_i, by applying the top-strategy, which has generated the top-CVE, on the Training and Validation Datasets. And a second Benchmark is led with this top-IVE on the same ETD.
- In case of a huge number of reference data, an IVE is generated by each explored strategy of T_i, via a 1-split validation.
 In this case, Benchmarks are led with the top-IVE on the Test Dataset (TD, composed of unknown reference cases) and on the available ETDs.
- Each Benchmark uses the latest versions of the following algorithms available at the date of the benchmark. XTRACTIS®: REVEAL; Logistic Regression: Python, Scikit-Learn; Random Forest & Boosted Tree: Python, LightGBM; Neural Network: Python, TensorFlow, Keras.
- Each B_k uses exactly the same TD and ETD for each T_i model.
- No Regression models can be obtained by Logistic Regression. So, this Data Analysis technique is benchmarked only
 for Classification or Scoring problems.
- The Holy Grail for critical Al-based decision systems is to obtain a model with the highest Performance <u>and</u> the highest Intelligibility scores (top-right corner of the graph).

PERFORMANCE Score

For each B_k , we calculate the values of the Performance Criterion (PC) on the same ETD for all the T_i top-CVEs; and on the same TD and ETDs for all the T_i top-IVEs. The PC is: RMSE in percentage for a Regression; F_1 -Score for a Binomial Classification; Average F_1 -Score or Average F_2 -Score for a Multinomial Classification; Gini index for a Scoring. Then, we compare the value of the PC of each T_i top-CVE (resp. top-IVE) to the best value of this PC reached by the best T_i top-CVE (resp. top-IVE) on ETD (resp. on TD and ETDs).

For Regression, we calculate for each T_i top-model (CVE and IVE): $PS(T_i, B_k) = Best_PC(B_k) - PC(T_i, B_k)$.

For Classification and Scoring, we calculate for each T_i top-model: $PS(T_i, B_k) = PC(T_i, B_k) - Best_PC(B_k)$.

Performance Score of T_i PS(T_i) = Mean (PS(T_i , B_k)) $_{k \in [1;p]}$

Remark:

• Each PS varies theoretically from -100 (Lowest Score) to 0 (Highest Score), but practically between -50 and 0.

INTELLIGIBILITY Score

We consider the T_i top-IVE. Its Intelligibility Score IS(T_i) is valued from 0.00 to 5.00 regarding the structure of the model: number of predictors, classes, rules, equations, trees, synthetic variables, modalities to predict for classifications (or numeric variables to predict for regressions or scoring). The more compact the model, the higher its IS.

The IS of each T_i is obtained by accumulating the following five penalty values to the ideal IS value of 5.00 (each penalty has a null or a negative value):

- Penalty 1 (logarithmic penalty regarding the number of predictors):

Pen1(T_i) = min(0, $1 - \log_{10} number \ of \ predictors$)

Examples: Pen1 = 0.00 for up to 10 predictors Pen1 = -3.00 for 10.000 predictors

Penalty 2 (linear penalty regarding the average number of rules or equations per modality to predict):

Pen2(T_i) = min $\left(0, 0.01 - \frac{average\ number\ of\ rules\ or\ equations\ per\ modality\ to\ predict}{100}\right)$

Examples: Pen2 = 0.00 for 1 rule or equation per modality to predict on average Pen2 = -3.00 for 301 rules or equations per modality to predict on average

- Penalty 3 (linear penalty regarding the average number of predictors per rule or equation):

Pen3(T_i) = min $\left(0, \frac{9-3 \times average \ number \ of \ predictors \ per \ rule \ or \ equation}{7}\right)$

Examples: Pen3 = 0.00 for up to 3.0 predictors per rule or equation on average

Pen3 = -3.00 for 10.0 predictors per rule or equation on average

Penalty 4 (linear penalty regarding the number of chained trees, here for BT only):

Pen4(T_i) = min(0, 1 – number of chained trees)

Examples: Pen4 = 0.00 for 1 tree

Pen4 = -3.00 for 4 chained trees

Penalty 5 (maximum penalty due to unintelligibility of synthetic variables, here for NN only):

 $Pen5(T_i) = -5$

Intelligibility Score of Ti

 $IS(T_i) = max(0.00, 5.00 + (Pen1+Pen2+Pen3+Pen4+Pen5))$

Remarks:

- For the difference between the Intelligibility and the Explainability of a model, please see the XTRACTIS® Brochure, page 7.
- The real complexity of the process/phenomenon under study is intrinsic, i.e., it could not be reduced or simplified, but only
 discovered; thus, the top-model will be complex if the process/phenomenon turns out to be complex [Zalila 2017].
 Consequently, for some complex process/phenomenon, IS can be equal to 3.00 or less, even if Ti natively produces intelligible
 models (XTRACTIS, Random Forest).
- For similar structures, the Boosted Tree model is always less intelligible than the Random Forest one, as it is composed of chains of trees, instead of a college of trees (see Penalty 4).
- Neural Network model has always the lowest IS of 0.00, because it uses synthetic unintelligible variables (hidden nodes) in addition to all the potential predictors (see Penalty 5).

APPENDIX 2 — Use Case Results (all Performance criteria of all Top-Models)

Performance Criterion	Correlation	MAE (×10 ⁻⁴)	RMSE (×10 ⁻⁴)	Refusal
I MODEL				
andom Permutations (P-value) = 100,000 (0.001%) Performance against chance (External Test)	0.074	160.0 (23.18%)	200.0 (28.67%)	
IS TOP-MODEL				
Descriptive Performance (Training)	1.000	2.3 (0.33%)	3.7 (0.53%)	0 (0.00%)
Predictive Performance (Validation)	1.000	2.3 (0.33%)	3.7 (0.52%)	0 (0.00%)
Real Performance (External Test)	0.999	2.9 (0.41%)	5.2 (0.75%)	0 (0.00%)
, , ,		\ /	,	
I FOREST TOP-MODEL				
Descriptive Performance (Training)	0.998	5.9 (0.84%)	8.5 (1.22%)	
Predictive Performance (Validation)	0.996	8.4 (1.19%)	13.1 (1.87%)	
Real Performance (External Test)	0.996	8.9 (1.27%)	14.0 (2.00%)	
D TREES TOP-MODEL				
Descriptive Performance (Training)	1.000	1.0 (0.14%)	1.5 (0.22%)	
Predictive Performance (Validation)	0.999	4.7 (0.67%)	6.9 (0.99%)	
Real Performance (External Test)	0.999	4.8 (0.69%)	7.5 (1.07%)	
NETWORK TOP-MODEL				
	0.007	0.6 (1.37%)	12 1 (1 73%)	
	*****	` /	, ,	
		` /	, ,	
Descriptive Performance (Training) Predictive Performance (Validation) Real Performance (External Test)	0.997 0.997 0.997	9.6 (1.37%) 9.7 (1.39%) 9.9 (1.42%)	12.1 (1.73%) 12.1 (1.73%) 12.4 (1.77%)	

The entirety of this document is protected by copyright. All rights are reserved, particularly the rights of reproduction and distribution. Quotations from any part of the document must necessarily include the following reference:

Zalila, Z., Intellitech & Xtractis (2015-2024). XTRACTIS® the Reasoning Al for Trusted Decisions. Use Case #02 | Maintenance: Prediction of the Degradation of a Naval Propulsion Unit — Benchmark vs. Random Forest, Boosted Tree & Neural Network. INTELLITECH [intelligent technologies], March 2024, v6.1, Compiegne, France, 6p.